



ZW03005 COMPLETE CABIN ATOMIZER SERVICE JOB AID

Technical Support: 800-255-8138 Option #4

Safety Recommendations:

- Safety glasses and gloves should be worn during the service.
- Use in well ventilated area.
- Verify machine and all components are in good working condition.



Complete Atomizer Machine and Components:

- Complete Cabin Atomizer Machine
- Power Supply Cable
- Conveyor Tube



Approved Wynn's® HVAC Products:

- Airco-Clean (#ZW30208)
- Air Purifier (#ZWA1601)
- MB-10 Tablet Kit (#ZW90010)

Preparing the Complete Cabin Atomizer Machine:

- Connect the power cable to the socket on the front of the Complete Cabin Atomizer Machine.
- Connect the other end of the power cable into a 110-volt outlet.



Preparing the Complete Cabin Atomizer Machine (continued):

- Fill the Complete Cabin Atomizer Machine's reservoir with Approved Wynn's® HVAC products only.
- The green **READY/ON** LED light will begin to flash.





ZW03005 COMPLETE CABIN ATOMIZER SERVICE JOB AID

Technical Support: 800-255-8138 Option #4

Preparing the Complete Atomizer Machine (continued):

- Insert the conveyor tube into the Cabin Atomizer Machine's reservoir opening.



Preparing the Vehicle for Service:


- Start the vehicle's engine.
- Place the filled Complete Cabin Atomizer Machine on the passenger front floor area.
- Position the conveyor tube to the inlet opening of the air recirculation vent (under dash).
- Pass the power cable through the passenger front door upper door jamb near the B-Pillar.
- Close all other windows and doors of the vehicle.



NOTE: *It is not necessary to remove the cabin air filter.*

Preparing the Vehicle for Service (continued):

- Set the vehicle's air conditioning to off.
- Set the temperature control to minimum temperature level.
- Select air recirculation to on.
- Set fan speed to minimum setting.



Preparing the Vehicle for Service (continued):

- Select front ventilation.
- Direct the flow of vents upwards.
- Open all air deflectors on front vents.





ZW03005 COMPLETE CABIN ATOMIZER SERVICE JOB AID

Technical Support: 800-255-8138 Option #4

Performing the Service:

- Press the **ON/OFF** button on the Complete Cabin Atomizer Machine's front panel.
- Check to ensure vapor is emitting from conveyor tube and being drawn into the air recirculation vent.
- Exit the vehicle and close all doors.
- The Complete Cabin Atomizer Machine will automatically shut off when service is complete.


NOTE: *The Cabin Atomizer Service will run for approx. 10–25 minutes depending on which Wynn's® approved HVAC product is used.*



Additional Service if Using MB-10 Solution:

The following high touch areas will need to be treated with a High Volume Low Pressure (HVL) sprayer to be most effective.

- Outside door handles
- Inside door handles
- Steering wheel
- Gearshift
- Front seats
- Rear seats
- Control knobs



Completing the Service:

- Remove the Complete Cabin Atomizer Machine from the vehicle when the service has completed.
- Open all vehicle doors.
- Turn off the vehicle's engine.
- Allow 5-10 minutes for the vehicle's cabin to ventilate.



Maintenance for the Complete Cabin Atomizer Machine:

- Disconnect the power cable from the front of the Complete Cabin Atomizer Machine.
- Remove the conveyor tube.
- Pour any remaining product from the Complete Cabin Atomizer Machine and discard.
- Rinse the Complete Cabin Atomizer Machine's reservoir with tap water and dispose of mixture from machine.

