



DRIVELINE APPLICATION CHART

Technical Services: 800-255-8138, Option 4

				SAE 75W-85	SAE 75W-90	SAE 75W-140	Transfer Case / Manual Transmission Fluid	Low Viscosity ATF	High Viscosity ATF	
				Quart	ZW718532	ZW711632	ZW714532	NA	ZWA5301	ZWA5401
				1/2 Gallon	ZW718564	ZW711664	ZW714564	ZW66303	NA	NA
				Gallon	NA	NA	NA	NA	ZWA5303	ZWA5403
				Drum	ZW718554	ZW711654	ZW714554	NA	ZWA5302	ZWA5402
OE	OE PN	DESCRIPTION	SPEC							
Acura	08200-9014A	Hypoid Gear Oil HGO-1	SAE 75W-85 / API GL-5	SFU						
BMW	83222239654	Manual Transmission Fluid	SAE 75W-85 / LT-5		SFU					
Fiat	9.55550-DA6, 68280932AA, 68280933AA	Differential and Power Transfer Unit Gear Oil	SAE 75W-90 / API GL-5		SFU					
	ESRY 19C547, D80Z19C547-A	Manual Transmission Fluid	SAE 75W-90 / GL-4				SFU			
	WY-75W85-QL, WSS-2C942-A	Synthetic Hypoid Gear Oil	SAE 75W-85	SFU						
	XT-5-QMC	MERCON® V	F5M, G5M, GETRAG, ZF6S, M5HD, M50/D, T45, T50D TR3650 (Yrs 03-10) & TR6060 MT						SFU	
	XT-5-QSM	Synthetic Blend MERCON® V	TR3650 (01-02) & ZF S5-47 (99-01)						SFU	
Ford	XT-75W90-QSC	Ford GT Supercar Transaxle Lubricant	SAE 75W-90 / API GL-5		SFU					
	XT-10-QLVC	MERCON® LV	Low Viscosity ATF Fluid					SFU		
	XT-75W90-QGT	Premium Synthetic Transaxle Lubricant	SAE 75W-90 / GT 6 SPEED TRANS / API GL-5		SFU					
	XY-75W140-QL, WSL-C192-A	Synthetic Gear Oil	SAE 75W-140			SFU				
	XY-80W90-QL	Rear Axle Lubricant	SAE 80W-90		SFU					
	A 000 989 07 04, A 001 989 27 03, A 001 989 53 03, A 001 989 22 03	Differential Gear Oil	SAE 80W-90 / API GL-5 / MB 235.0, MB 235.8, MB 235.11		SFU					
Freightliner	A 001 989 83 03, A 001 989 33 03	Differential Gear Oil	SAE 75W-85 / API GL-5 / MB 235.7	SFU						
	A 001 989 68 03 18	ATF and Transfer Case Oil	ATF 134 / MB 236.14 / ATF 4134					SFU		
Genesis	00232-19037	Hypoid Gear Oil MS517-15 GT	SAE 75W-90 / API GL-5		SFU					
	00232-19075	Hypoid Gear Oil MS517-15 GTL	SAE 75W-85 / API GL-5	SFU						

NOTE: Application Chart will be updated periodically. Please check Marketing Portal for latest version as information is subject to change without notice.

SFU = Suitable for Use



DRIVELINE APPLICATION CHART

Technical Services: 800-255-8138, Option 4

				SAE 75W-85	SAE 75W-90	SAE 75W-140	Transfer Case / Manual Transmission Fluid	Low Viscosity ATF	High Viscosity ATF	
				Quart	ZW718532	ZW711632	ZW714532	NA	ZWA5301	ZWA5401
				1/2 Gallon	ZW718564	ZW711664	ZW714564	ZW66303	NA	NA
				Gallon	NA	NA	NA	NA	ZWA5303	ZWA5403
				Drum	ZW718554	ZW711654	ZW714554	NA	ZWA5302	ZWA5402
OE	OE PN	DESCRIPTION	SPEC							
	12378514 (ACDelco 10-4058)	Versatrak Fluid	SAE 75W-85 / API GL-5	SFU						
	19351859 (ACDelco 10-4104)	Manual Transmission Fluid	SAE 75W-85 / API GL-4					SFU		
	19351882 (ACDelco 10-4105)	Synthetic Power Transfer Unit	SAE 75W-90 / API GL-5		SFU					
	19352759 (ACDelco 10-4108)	Dexron Synthetic Gear Oil (Fluid for Transfer Case GKN 761)	SAE 75W-90 / API GL-5		SFU					
	19354435 (ACDelco 10-4113)	Manual Transmission Fluid	SAE 75W-90 / API GL-5		SFU					
	89021524 (ACDelco 10-4054)	Synthetic Axle Lubricant	SAE 75W-90 / API GL-5		SFU					
	89021809 (ACDelco 10-4053)	Synthetic Gear Oil	SAE 75W-140 / API GL-5			SFU				
	19368514 (US) / 19368515 (Canada) (ACDelco 10-4122)	Dexron Low Viscosity Gear Oil	SAE 75W-85 / API GL-4					SFU		
	19369842	Dexron Low Viscosity Gear Oil	SAE 75W-85 / API GL-4					SFU		
GM	19417595 (ACDelco 10-4128)	Synthetic Lubricant	SAE 75W-90 / API GL-5		SFU					
	88862624 (ACDelco 10-4034)	Dexron LS Gear Oil	SAE 75W-90		SFU					
	88863349 (ACDelco 10-4070)	Manual Transmission Fluid with Limited Slip Coupling (LSC)	SAE 75W-90 / API GL-4					SFU		
	88865544 (ACDelco 10-9240)	Automatic Transmission Fluid	Type III (H)							SFU
	88865601 (ACDelco 10-9394)	Automatic Transmission Fluid	Dexron VI / Fluid for Transfer Case Units MP1222, MP1225, MP1226, MP1625, MP1626, MP3023, MP3024					SFU		
	88865759 (ACDelco 10-4108T)	Dexron Gear Oil	SAE 75W-90		SFU					
	88900333 (ACDelco 10-4006)	Synchromesh Transmission Fluid	GM Manual Transmission / Tremec Brand Manual Transmissions					SFU		
	88900401 (ACDelco 10-4016)	Synthetic Axle Lubricant	SAE 75W-90 / API GL-5		SFU					
	88900402 (ACDelco 10-4017)	Auto-Trak II Transfer Case Fluid	Fluid for Transfer Case NP246							SFU
	89021669 (ACDelco 10-4051)	Axle Lubricant	SAE 80W-90		SFU					
92184900 (ACDelco 10-4032)	Rear Axle Lubricant	SAE 75W-85 / API GL-5		SFU						

NOTE: Application Chart will be updated periodically. Please check Marketing Portal for latest version as information is subject to change without notice.

SFU = Suitable for Use



DRIVELINE APPLICATION CHART

Technical Services: 800-255-8138, Option 4

				SAE 75W-85	SAE 75W-90	SAE 75W-140	Transfer Case / Manual Transmission Fluid	Low Viscosity ATF	High Viscosity ATF	
				Quart	ZW718532	ZW711632	ZW714532	NA	ZWA5301	ZWA5401
				1/2 Gallon	ZW718564	ZW711664	ZW714564	ZW66303	NA	NA
				Gallon	NA	NA	NA	NA	ZWA5303	ZWA5403
				Drum	ZW718554	ZW711654	ZW714554	NA	ZWA5302	ZWA5402
OE	OE PN	DESCRIPTION	SPEC							
Honda	08200-9007	Dual Pump II Differential Fluid	Specialty	NO SFU						
	08200-9014	Hypoid Gear Oil HGO-1	SAE 75W-85 / API GL-5	SFU						
Hyundai/ Kia	00232-19037	Synthetic Gear Oil	SAE 75W-90	SFU						
	00232-19038	Semi-Synthetic Gear Oil	SAE 80W-90	SFU						
	00232-19075	Hypoid Gear Oil MS517-15 GTL	SAE 75W-85 / API GL-5 / SK HK SYN LSD	SFU						
	00232-19097	Hypoid Gear Oil MS517-15 GTC	SAE 75W-85 / API GL-5 / SK HCT-5	SFU						
	08950-00020-B	Manual Transmission	SAE 75W-85 / API GL-4	SFU						
Isuzu Trucks	92956072, 92956073, 92956474	S-Trans Gear Oil	SAE 75W-90 / API GL-5	SFU						
	92956070, 92956071, 92956473	TRANS Gear Oil	SAE 85W-140 / API GL-4 / GL-5	SFU						
Mazda	0000-77-80W9-QT	Premium Rear Axle Lubricant	SAE 80W-90 / API GL-5	SFU						
	0000-77-W140-QT	Rear Axle Lubricant	SAE 75W-140 / Synthetic	SFU						
	0000-77-SG1-QT	Long Life Hypoid Gear Oil SG1	SAE 75W-85 / API GL-4	SFU						
	0000-77-114-QT	Long Life Manual Gear Oil	SAE 75W-90 / API GL-4	SFU						
MB	A001989230310	Automatic Transmission and Transfer Case Fluid	Dexron IIIH	SFU						
	A001989330312	Differential Fluid	SAE 75W-85	SFU						
	A001989770309	Automatic Transmission and Transfer Case Fluid	Shell ATF 134FE / MB.236.15	SFU						
	A0019893303, A001989330310, A0005830904, A0019890503, A0019891703, A001989170310, A001989170312	Differential Gear Oil	SAE 75W-85 / MB 235.7 Sheet	SFU						

NOTE: Application Chart will be updated periodically. Please check Marketing Portal for latest version as information is subject to change without notice.

SFU = Suitable for Use



DRIVELINE APPLICATION CHART

Technical Services: 800-255-8138, Option 4

				SAE 75W-85	SAE 75W-90	SAE 75W-140	Transfer Case / Manual Transmission Fluid	Low Viscosity ATF	High Viscosity ATF	
				Quart	ZW718532	ZW711632	ZW714532	NA	ZWA5301	ZWA5401
				1/2 Gallon	ZW718564	ZW711664	ZW714564	ZW66303	NA	NA
				Gallon	NA	NA	NA	NA	ZWA5303	ZWA5403
				Drum	ZW718554	ZW711654	ZW714554	NA	ZWA5302	ZWA5402
OE	OE PN	DESCRIPTION	SPEC							
	5136035AC	Synthetic Gear & Axle Lubricant	SAE 75W-85 / API GL-5	SFU						
	68083381AA	Rear Axle Lubricant / ZF-ELSD	SAE 75W-85	SFU						
	68218041AB	Gear & Axle Lubricant	SAE 80W-90 / API GL-5 / MS-9020		SFU					
	68218057AC	ATF	ATF+4					SFU		
	68218654AB	Synthetic Gear & Axle Lubricant	SAE 75W-90		SFU					
	68218655AC	Synthetic Gear & Axle Lubricant	SAE 75W-90 / MS-9763		SFU					
	68218657AB	Synthetic Gear & Axle Lubricant	SAE 75W-140 / GL-5 / MS-8985			SFU				
	68232947AB	Open Differential Axle Lubricant Synthetic	SAE 75W-85 / GL-5 / MT-1 / SAE J2360	SFU						
	68232948AB	Limited Slip Differential Axle Lubricant Synthetic	SAE 75W-85 / MS-A0358	SFU						
Mopar	68280932AA	Front Axle Power Transfer Unit Lubricant	SAE 75W-90 / API GL-5		SFU					
	68280933AA	Rear Axle Differential Module Lubricant	SAE 75W-90 / API GL-5		SFU					
	68333589AA	Long Life Hypoid Gear Oil	SAE 75W-85 / API GL-4 / 9.55550-MZ3 specs	SFU						
	68340460AA	Rear Axle Lubricant	SAE 75W-90 / MS-A0160		SFU					
	68364258AA	Multi Axle Lubricant	SAE 75W-85 / API GL-5 / FPW 9.55550 DA3	SFU						
	68378949AA	Synthetic Gear & Axle Lubricant	SAE 75W-85 / API GL-5 / MS-A0450	SFU						
	68449546AA	Rear Axle Lubricant / ZF-ELSD	SAE 75W-85 / MS-A0759	SFU						
	68449547AA	Synthetic Gear & Axle Lubricant W/Friction Modifier	SAE 75W-140 / GL-5 / MS-10111			SFU				

NOTE: Application Chart will be updated periodically. Please check Marketing Portal for latest version as information is subject to change without notice.

SFU = Suitable for Use



DRIVELINE APPLICATION CHART

Technical Services: 800-255-8138, Option 4

				SAE 75W-85	SAE 75W-90	SAE 75W-140	Transfer Case / Manual Transmission Fluid	Low Viscosity ATF	High Viscosity ATF	
				Quart	ZW718532	ZW711632	ZW714532	NA	ZWA5301	ZWA5401
				1/2 Gallon	ZW718564	ZW711664	ZW714564	ZW66303	NA	NA
				Gallon	NA	NA	NA	NA	ZWA5303	ZWA5403
				Drum	ZW718554	ZW711654	ZW714554	NA	ZWA5302	ZWA5402
OE	OE PN	DESCRIPTION	SPEC							
Nissan/ Infiniti	KLD37-00001P	Semi-Synthetic Differential Fluid	75W-90 GL-5 Differential Fluid				SFU			
	KE907-99932	Synthetic Differential Fluid	80W-90 GL-5 Differential Fluid				SFU			
	999MP-1XGPP0P	Limited Slip Differential Gear Oil	SAE 80W-90 / API GL-5				SFU			
	999MP-DF100P	Synthetic Differential Fluid	75W-140 GL-5 Differential Fluid					SFU		
	999MP-DF300P	Hypoid Fluid S1	SAE 75W-80 / API GL-5	SFU						
	999MP-DF500P	Synthetic Differential Fluid	SAE 75W-85 / API GL-5	SFU						
Porsche	99991754600	Manual Transmission and Differential Fluid	SAE 75W-90				SFU			
Subaru	SOA427V1700	High Performance Gear Oil	SAE 75W-90 / API GL-5				SFU			
	SOA427V1800	Limited Slip Differential Gear Oil	SAE 80W-90 / API GL-5				SFU			
Tesla	1031106-00-A	ATF Red (After 2016 Model S Front and Rear Drive Unit)	Dexron VI					SFU		
Toyota	08885-02506	Differential Gear Oil LT	SAE 75W-85 / API GL-5	SFU						
	08885-02606	Differential Gear Oil LX	SAE 75W-85 / API GL-5	SFU						
	08885-80924	Differential Gear Oil	SAE 85W-90 / API GL-4				SFU			
	08885-80927	Limited Slip Diff Gear Oil	SAE 85W-90 / API GL-5				SFU			
	08885-81026	Manual Transmission Gear Oil	SAE 75W-90 / API GL-4					SFU		
VW/Audi	G052145S2	Synthetic Gear Oil	SAE 75W-90 Gear Oil				SFU			
	G070726A2	Manual Transmission Fluid	SAE 75W-90 / SAE GL-4					SFU		
	G00500005	Manual Transmission Fluid	SAE 75W-80 / API GL-5	SFU						
	G060726A2	Manual Transmission Fluid	SAE 75W-90				SFU			
Volvo	31259380	Manual Transmission and Awd Angle (Bevel) Gear Fluid	SAE 75W-90 / API GL-5				SFU			

NOTE: Application Chart will be updated periodically. Please check Marketing Portal for latest version as information is subject to change without notice.

SFU = Suitable for Use