Continuously Variable Transmission Fluid

Continuously Variable Transmission Fluid
ZWA5501A / A5502A / A5504A

SUITABLE FOR USE CHART

	OEM / ATF	APPLICATION	VIS	Suitable
Audi	Audi	Multitronic	CVT	S
BMW/Mini	BMW/Mini Cooper	EZL 799/83 22 0 136 376/ 83 22 0 429 154	CVT	S
	BMW/Mini Cooper	EZL 799A ZF CVT V	CVT	S
Chery	Chery	CVT	CVT	S
	Chery	WCF-1/Shell SL 2100	CVT	S
Citroen	Citroen	PSA Standard 9735EF	CVT	S
Daihatsu	Daihatsu	AMMIX CVT Fluid DC	CVT	S
	Daihatsu	AMMIX CVT Fluid DFC	CVT	S
	Daihatsu	AMMIX CVT Fluid DFE	CVT	S
	Daihatsu	TC	CVT	S
FCA Fiat/Chrysler/Dodge/Jeep/Ram	FCA	CVTF+4 PN: 05191184AA	CVT	S
	Fiat	CVT NG	CVT	S
	Dodge/chry/jeep	NS-2		
	Dodge/chry/jeep	CVT+4		
Ford/Lincoln	Ford	WSD-M2C-199A	CVT	S
	Ford	WSS-M2C933-A PN: XT-7-QCFT	CVT	S
	Ford	MERCON C	CVT	S
	Ford	M2C928-A	CVT	S
Fujiyuuko	Fujiyuuko	i-CVTF FG	CVT	S
GM Chevrolet/Cadillac/Buick/GMC/Saturn	GM/Saturn	CVTF I-Green2	CVT	S
	GM/Saturn DEX-CVT	GM1940713 and 1940714	CVT	S
	GM	CVT 19260800, 19299096 Canada)	CVT	S
	GM	DEX-CVT PN: 15234609, 15250985, 15231847,	CVT	S
	GM	VT40/GMHP CVT	CVT	S
Honda/Acura	Honda/Acura	HCF-2 PN: 08200-HCF2	CVT	S
	Honda	Z-1 (CVT without starting clutch)		
	Honda	Multimatic HMMF (withoutstarting clutch)		
	Honda	CVT (NOTE: Not for use with vehicles with starting Clutch	CVT	S
Hyundai/Kia	Hyundai/Kia	SP CVT-1 and CVT-J1	CVT	S
	Hyundai/Kia	SPIII(CVT model)		
Idemitsu	Idemitsu	CVTF-EX1	CVT	S
Mazda	Mazda	JWS-3320	CVT	S
Mercedes	Mercedes	236.20 PN: 001 989 46 03	CVT	S
Mitsubishi	Mitsubishi	Dia Queen CVTF J1 PN: MZ313973	CVT	S
	Mitsubishi	Dia Queen CVTF J4 PN: MZ320185	CVT	S
	Mitsubishi	CVTF ECO J4	CVT	S
	Mitsubishi	CVT fluid -MA1	CVT	S
MG Rover	MG Rover	EM-CVT	CVT	S
Nissan/Infinti	Nissan	NS-1	CVT	S
	Nissan	NS-2	CVT	S
	Nissan	NS-3	CVT	S
	Nissan	NS-2V	CVT	S
	Nissan	N-CVT	CVT	S
Perodua	Perodua	D-CVT	CVT	S
Peugeot	Peugeot	PSA Standard 9735EF	CVT	S
Punch	Punch	CVT (Note: Without starting clutch)	CVT	S
Renault	Renault	Elf Matic CVT	CVT	S
Shell	Shell	Green 1V	CVT	S

KEY: S = Suitable for use, N= not Suitable for use.

REV:7.8.26

Continuously Variable Transmission Fluid

Continuously Variable Transmission Fluid
ZWA5501A / A5502A / A5504A

SUITABLE FOR USE CHART

	OEM / ATF	APPLICATION	VIS	Suitable
Subaru	Subaru	Lineartronic chain CVT 3	CVT	S
	Subaru	Lineartronic High Torque, CV-30	CVT	S
	Subaru	Lineartronic CVTF-II,K0425Y0710 & K0425Y0711	CVT	S
	Subaru	Hight Torque CVTF,CV-30,K0421Y0700	CVT	S
	Subaru	Hight Torque CVTF-LV	CVT	S
	Subaru	e-CVTF	CVT	S
	Subaru	i-CVT F	CVT	S
	Subaru	i-CVT FG	CVT	S
Suzuki	Suzuki	CVTF 3320	CVT	S
	Suzuki	CVTF 4401	CVT	S
	Sukuki	CVT Green 1V	CVT	S
	Suzuki	CVT Green 2	CVT	S
Toyota/Lexus	Lexus	TC	CVT	S
	Lexus	FE	CVT	S
VW/Audi	VW/Audi	TL 525 16 (G 052 516)	CVT	S
	VW/Audi	TL 521 80 (G 052 180)	CVT	S
ZF	Zotye	CVTs	CVT	S
	Zotye	CVT	CVT	S
Emobility Claims		eMobility Applications		
	Ford	Escape Hybrid with eCVT	E	S
	Honda	e:HEV	E	S
	Honda	IMMD	E	S
	Jatco	JR712E	E	S
	Jatco	CVT 8 Hybrid	E	S
	Mazda	Skyactive Hybrid	E	S
	Nissan	ePower	E	S
	Nissan	Altima Hybrid	E	S
	Tesla	Model S and 3	E	S
	Toyota	THSII/Toyota Prius	E	S
	Toyota	TE for THS 5th Gen./ Noah, Voxy etc.	E	S

KEY: S = Suitable for use, N= not Suitable for use.

REV:7.8.26

Continuously Variable Transmission Fluid

Continuously Variable Transmission Fluid
ZWA5501A / A5502A / A5504A

SUITABLE FOR USE CHART

	OEM / ATF	APPLICATION	VIS	Suitable
****NOT SUITABLE FOR USE****				
Bosch Citroen Daihatsu	Bosch	Bosch TE-ML 09	H	N
	Citroen	Z 000169756	H	N
	Daihatsu	D3-SP	H	N
FCA Fiat/Chrysler/Dodge/Jeep/Ram	FCA	8 & 9 Speed ATF, P/N 68218925AA/AB	L	N
	FCA	ASRC	H	N
	FCA	ATF+	H	N
	FCA	ATF+2	H	N
	FCA	ATF+3	H	N
	FCA	ATF+4	H	N
	FCA	AW-1, P/N 68092912AA	L	N
	FCA	Dex-VI, P/N 68043742AA	L	N
	FCA	Fiat 9.55550-AV1	H	N
	FCA	Fiat 9.55550-AV2	L	N
	FCA	Fiat 9.55550-AV4	H	N
	FCA	Fiat 9.55550-AV5	L	N
	FCA	Fiat 9.55550-AV6	L	N
	FCA	MB 236.10/12, P/N 05127382AA	H	N
	FCA	P/N 05127382	L	N
	FCA	P/N 68157995AA/AB	L	N
	FCA	P/N 68333587AA	H	N
	FCA	SP-4, P/N 68171866AA	L	N
	FCA	SP-III	H	N
	FCA	SP-IV, P/N 68171866AA	L	N
	FCA	SP-IV, P/N 68171869AA	L	N
	FCA	Type 7176E	H	N
	FCA	Type 9602	H	N
Ford/Lincoln	Ford	ESP-M2C138-CJ	H	N
	Ford	ESP-M2C166-H	H	N
	Ford	P/N XT-10-QLV [LV]	L	N
	Ford	P/N XT-12-ULV [ULV]	UL	N
	Ford	P/N XT-2-QDX [M]	H	N
	Ford	P/N XT-2-QSM [Syn]	H	N
	Ford	P/N XT-5-QM [V]	H	N
	Ford	P/N XT-5-QSM [V Syn]	H	N
	Ford	P/N XT-6-QSP [SP]	L	N
	Ford	P/N XT-8-QAW [Premium]	H	N
	Ford	P/N XT-9- QMM5 [FNR5]	H	N
	Ford	Spec WSS-M2C922-A1	H	N
GM Chevrolet/Cadillac/Buick/GMC/Saturn	GM	ATF Z1, Saturn P/N 22717466	H	N
	GM	AW-1, P/N 19256039	L	N
	GM	Dex [GM 6032M]	H	N
	GM	Dex HP [GMW 16974]	L	N
	GM	Dex ULV, P/N 19352619	UL	N
	GM	Dex-B [GM 6032M]	H	N
	GM	Dex-IIC [6137M]	H	N
	GM	Dex-IID [GM 6137M]	H	N
	GM	Dex-IIE [GM 6137M]	H	N
	GM	Dex-IIIF [GM 6297M]	H	N
	GM	Dex-IIIG [GM 6417M]	H	N

KEY: S = Suitable for use, N= not Suitable for use.

REV:7.8.26

Continuously Variable Transmission Fluid

Continuously Variable Transmission Fluid
ZWA5501A / A5502A / A5504A

SUITABLE FOR USE CHART

	OEM / ATF	APPLICATION	VIS	Suitable
GM Chevrolet/Cadillac/Buick/GMC/Saturn	GM	Dex-IIIH [GM N10055]	H	N
	GM	Dex-VI [GMW 16444]	L	N
	GM	P/N 12378515*	H	N
	GM	P/N 19 40 700	H	N
	GM	P/N 19 40 767	H	N
	GM	P/N 1940771; 19 40 771	H	N
	GM	P/N 1940773; 19 40 773	L	N
	GM	P/N 21005966	H	N
	GM	P/N 88900925	H	N
	GM	P/N 9985010	H	N
	GM	P/N 9986195	H	N
	GM	Saturn T-IV Fluid, Saturn P/N 22689186	H	N
	GM	Type A Suffix A	H	N
	GM	WS, P/N 88863400 / 88863401	L	N
Honda/Acura	Honda/Acura	ATF DW-1 P/N 08200-9008	L	N
	Honda/Acura	ATF Type 3.0 P/N 08200-9016-A	L	N
	Honda/Acura	ATF Type 3.1 P/N 08200-9017	L	N
	Honda/Acura	ATF Z1, P/N 08200-9001	H	N
	Honda/Acura	ATF Z1, P/N 08200-9001A	H	N
Hyundai/Kia	Hyundai/Kia	ATF RED-1K	H	N
	Hyundai/Kia	ATF SP-IV	L	N
	Hyundai/Kia	Genuine ATF	H	N
	Hyundai/Kia	JWS 3314	H	N
	Hyundai/Kia	P/N 00232-19023	H	N
	Hyundai/Kia	P/N 040000C90SG	L	N
	Hyundai/Kia	P/N 04500-00140	H	N
	Hyundai/Kia	P/N UM040 CH20 Red-1	H	N
	Hyundai/Kia	SP	H	N
	Hyundai/Kia	SP4-M1	L	N
	Hyundai/Kia	SPH-IV	L	N
	Hyundai/Kia	SP-II	H	N
	Hyundai/Kia	SP-III	H	N
	Hyundai/Kia	SP-IV	L	N
	Hyundai/Kia	SP-IV-RR	L	N
	Hyundai/Kia	WS, spec NWS-9638	L	N
	Hyundai/Kia	SP-III (CVT Model)	H	N
Isuzu	Isuzu	ATF III	H	N
	Isuzu	ATF WSI	L	N
	Isuzu	Genuine ATF	H	N
	Isuzu	P/N 08200-9001	H	N
	Isuzu	SCS	L	N
Jaguar	Jaguar	02JDE 26444	L	N
	Jaguar	Fluid 8432	L	N
	Jaguar	JLM 20238	H	N
	Jaguar	JLM 20292	H	N
	Jaguar	JLM 21044	H	N
	Jaguar	K17, Jatco 3100 PL085	H	N
	Jaguar	LT 71141	H	N
	Jaguar	WSS-M2C922-A1	H	N
Land Rover	Land Rover	ATF N402	H	N
	Land Rover	AW-1 P/N LR0022460: LV	L	N
	Land Rover	JWS3309US	H	N
	Land Rover	P/N TYK500050	L	N
	Land Rover	STC4863	H	N
	Land Rover	LR023288/023289	L	N

KEY: S = Suitable for use, N= not Suitable for use.

REV:7.8.26

Continuously Variable Transmission Fluid

Continuously Variable Transmission Fluid
ZWA5501A / A5502A / A5504A

SUITABLE FOR USE CHART

	OEM / ATF	APPLICATION	VIS	Suitable
MAN	MAN	339A	H	N
	MAN	339D	H	N
	MAN	339F	H	N
Maserati	Maserati	Oil No. 231603	L	N
Mazda	Mazda	ATF A7	UL	N
	Mazda	ATF FZ	L	N
	Mazda	ATF M-5 P/N 0000-23-ATF -M5	H	N
	Mazda	ATF N-1	H	N
	Mazda	ATF S-1	H	N
	Mazda	F-1	H	N
	Mazda	JWS3317	H	N
	Mazda	M3	H	N
	Mazda	Type T-IV, JWS 3309 ATF	H	N
Mercedes	Mercedes	A 0019892203	H	N
	Mercedes	ATF 3403-M115	H	N
	Mercedes	236.1 [DTFR 13C100]	H	N
	Mercedes	236.1	H	N
	Mercedes	236.11 [DTFR 13C110]	H	N
	Mercedes	236.12	L	N
	Mercedes	236.14	L	N
	Mercedes	236.15	UL	N
	Mercedes	236.16	UL	N
	Mercedes	236.17	UL	N
	Mercedes	236.2 [DTFR 13C120]	H	N
	Mercedes	236.41	L	N
	Mercedes	236.5	H	N
	Mercedes	236.6*	H	N
	Mercedes	236.7 [DTFR 13C140]*	H	N
	Mercedes	236.8 [DTFR 13C150]	H	N
	Mercedes	236.9 [DTFR 13C170]*	H	N
	Mercedes	236.91 [DTFR 13C180]*	H	N
	Mercedes	722.9 (ATF 7134 FE)	H	N
Mitsubishi	Mitsubishi	ATF-J2	H	N
	Mitsubishi	ATF-J3	L	N
	Mitsubishi	Dia Queen ATF-MA1, P/N MZ320775	L	N
	Mitsubishi	Dia Queen ATF-PA, P/N 4030401	L	N
	Mitsubishi	Dia Queen AW	H	N
	Mitsubishi	DII/DIII	H	N
	Mitsubishi	SP, P/N MS991156	H	N
	Mitsubishi	SP-II	H	N
	Mitsubishi	SP-III	H	N
	Mitsubishi	SP-IV	L	N
Nissan	Nissan	Fluid A	H	N
	Nissan	Matic D	H	N
	Nissan	Matic J, P/N 999MP-MTJ00P	H	N
	Nissan	Matic K	H	N
	Nissan	Matic P, P/N 999MP-MTP10P	UL	N
	Nissan	Matic R, P/N 999MP-MTR00P	L	N
	Nissan	Matic S , P/N 999MP-MTS00P	L	N
	Nissan	Matic W	L	N
	Nissan	N402	H	N
Peugeot	Peugeot	P/N Z 000169756	H	N
	Peugeot	PSA 16 350 560 80	UL	N

KEY: S = Suitable for use, N= not Suitable for use.

REV:7.8.26

Continuously Variable Transmission Fluid

Continuously Variable Transmission Fluid
ZWA5501A / A5502A / A5504A

SUITABLE FOR USE CHART

	OEM / ATF	APPLICATION	VIS	Suitable
Porsche	Porsche	JWS 3309, P/N 000 043 205 28	H	N
	Porsche	LT 71141	H	N
	Porsche	P/N 000 043 204 41	H	N
	Porsche	P/N 000 043 204 63	H	N
	Porsche	P/N 000 043 304 00/01	L	N
	Porsche	P/N 000 043 305 42	H	N
	Porsche	P/N 000 043 305 43	L	N
	Porsche	P/N 000 043 305 54	L	N
	Porsche	P/N 000 043 306 24	L	N
	Porsche	P/N 958 300 540 00	L	N
	Porsche	P/N 958 300 901 00	H	N
	Porsche	P/N 999 917 547 00 (A2) or P/N 000 043 205 09	H	N
PSA	PSA	AL4 / 4HP20, P/N 9730AE	H	N
	PSA	B71 2340	H	N
Renault	Renault	DP-0	H	N
	Renault	Matic D2	H	N
	Renault	SATF-D	H	N
Rolls Royce	Rolls Royce	Oil No. PL 31493PA	H	N
Saab	Saab	ATF HP	H	N
	Saab	JWS 3309	H	N
	Saab	P/N 93 160 393	H	N
	Saab	P/N 93 165 147	L	N
Ssangyong	Ssangyong	DSIH 5M-52	H	N
	Ssangyong	DSIH 5M-66	H	N
Subaru	Subaru	ATF HP, P/N K0140Y0700, P/N SOA635040	H	N
	Subaru	ATF-WS	L	N
	Subaru	SOA427V2610	-	N
Suzuki	Suzuki	ATF 2326	H	N
	Suzuki	ATF 2384K	H	N
	Suzuki	ATF 3314	H	N
	Suzuki	ATF 3317	H	N
	Suzuki	ATF 5D06	H	N
	Suzuki	Matic D	H	N
	Suzuki	Matic J	H	N
	Suzuki	Matic S	L	N
Toyota/Lexus	Toyota	ATF FZ	L	N
	Toyota	JWS 3309, Type T-IV, P/N 08886-81015	H	N
	Toyota	JWS 3324, ATF WS (or NWS9638)	L	N
	Toyota	Type D-II	H	N
	Toyota	Type T	H	N
	Toyota	Type T-II	H	N
	Toyota	Type T-III	H	N
Volvo	Volvo	P/N 1161521	H	N
	Volvo	P/N 1161621	H	N
	Volvo	P/N 1161640; P/N 1161540	H	N
	Volvo	P/N 31 256 774, 31 256 775	L	N
	Volvo	P/N 31 492 172, 31 492 173	UL	N
	Volvo CE	97325*	H	N
	Volvo CE	97335*	H	N
	Volvo CE	97337*	H	N
	Volvo CE	97340, AT100	H	N
	Volvo CE	97341, AT101	H	N

KEY: S = Suitable for use, N= not Suitable for use.

REV:7.8.26

Continuously Variable Transmission Fluid

Continuously Variable Transmission Fluid
ZWA5501A / A5502A / A5504A

SUITABLE FOR USE CHART

	OEM / ATF	APPLICATION	VIS	Suitable
VW/Audi	VW/Audi	G 052 162 (-A1, -A2) [AG4]	H	N
	VW/Audi	G 052 533	L	N
	VW/Audi	G 052 990 A2	H	N
	VW/Audi	G 053 001 A2	UL	N
	VW/Audi	G 055 005 A2	L	N
	VW/Audi	G 055 025 (-A2)	H	N
	VW/Audi	G 055 162 A2 or A6	L	N
	VW/Audi	G 055 540 A2	L	N
	VW/Audi	G 060 162 A2	L	N
	VW/Audi	G 060 540 A2	UL	N
	VW/Audi	G US 000 162	H	N
	VW/Audi	LT 71141	H	N
ZF	ZF	LifeguardFluid 5 (ZF No. S671 090 170)	H	N
	ZF	LifeguardFluid 6 (ZF No. S671 090 255)	L	N
	ZF	LifeguardFluid 8 (ZF No. S671 090 312)	L	N
	ZF	LifeguardFluid 9 (ZF No. AA01.500.001)	L	N
	ZF	TE-ML 05L	H	N
	ZF	TE-ML 11A	H	N
	ZF	TE-ML 11B	H	N
	ZF	TE-ML 21L	H	N

REVISION CONTROL:

5.14.2026	Added to NOT SFU	Subaru - SOA427V2610
7.8.2026	Product Update	Added Product ZWA5504A

KEY: S = Suitable for use, N= not Suitable for use.

REV:7.8.26